No. 2749

SERVICE HELMET, CAP and SCARVES

(heavy weight)

BEEHIVE, or CYCLE, DOUBLE KNITTING (or PATONS SUPER WHEELING, 3-PLY)

PRICE 2D.

This price only applies in Great Britain and Northern Ireland

PATONS & BALDWINS

A

B

C

D

A "P&B" PUBLICATION

CAP (see Fig. A).

MATERIALS:—2 ozs. BEEHIVE, or CYCLE, Double Knitting (or PATONS SUPER WHEELING, 3-ply). Two No. 5 "BEEHIVE" Knitting Needles (or "INOX," if Metal preferred), measured by the Beehive gauge.

TENSION:—4½ stitches to the inch in width (not stretched) must be obtained. If, using the needles recommended, more than 4½ stitches to the inch are obtained, needles a size coarser should be tried; if less than 4½ stitches, then a size finer. **Whatever the size of needles found suitable by the Knitter, it is absolutely essential that the fabric should measure 4½ stitches to the inch.**



A piece of fabric knitted to the correct tension.

RECIPE:—Cast on 90 stitches.

1st row.—K. 2, * P. 1, K. 1, repeat from * to the end of the row. Repeat this row sixteen times.

18th row.—Knit plain.

19th row.—K. 1, purl to the last stitch, K. 1.

Repeat the 19th and 20th rows for four inches. Shape for the crown as follows:—

1st row.—* K. 16, K. 2 tog., repeat from * to the end of the row.

2nd and alternate rows.—K. 1, purl to the last stitch, K. 1. **3rd row.**—* K. 15, K. 2 tog., repeat from * to the end of the row. **5th row.**—* K. 14, K. 2 tog., repeat from * to the end of the row. **7th row.**—* K. 13, K. 2 tog., repeat from * to the end of the row.

Continue decreasing in this manner in every alternate row until 40 stitches remain.

Proceed as follows:—

1st row.—K. 2 tog., * P. 6, P. 2 tog., repeat from * to last 6 stitches, P. 5, K. 1.

2nd row.—* K. 5, K. 2 tog., repeat from * to end of row.

3rd row.—K. 2 tog., * P. 4, P. 2 tog., repeat from * to last 4 stitches, P. 3, K. 1.

4th row.—* K. 3, K. 2 tog., repeat from * to end of row.

5th row.—K. 2 tog., * P. 2, P. 2 tog., repeat from * to last 2 stitches, P. 1, K. 1.

Break off the wool, run the end through the remaining stitches, draw up and fasten off securely. With a damp cloth and hot iron press carefully. Sew up the seam. Turn back the brim.

SCARF (see Fig. B).

MATERIALS:—6 ozs. BEEHIVE, or CYCLE, Double Knitting (or PATONS SUPER WHEELING, 3-ply). Two No. 5 "BEEHIVE" Knitting Needles (or "INOX," if Metal preferred), measured by the Beehive gauge.

ACTUAL MEASUREMENTS:—Width, 8 ins. Length, 54 ins.

TENSION:—4½ stitches to the inch in width (not stretched) must be obtained to give a garment of the above-mentioned size. If, using the needles recommended, more than 4½ stitches to the inch are obtained, needles a size coarser should be tried; if less than 4½ stitches, then a size finer. **Whatever the size of needles found suitable by the Knitter, it is absolutely essential that the fabric should measure 4½ stitches to the inch.**



A piece of fabric knitted to the correct tension.

RECIPE:—Cast on 34 stitches.

Work 6 rows in plain knitting.

7th row.—(K.1, P.1) three times, K.1, * increase once in next stitch, (P.1, K.1) four times, repeat from * twice (there should now be 37 stitches on needle).

8th row.—K. 1, * P. 1, K. 1, repeat from * to the end of the row. Repeat the 8th row until the work measures 53 inches from the commencement, ending with the right side of the work facing. In next row K. 7, * K. 2 tog., K. 8, repeat from * to end of row. Work 5 rows in plain knitting. Cast off. With a damp cloth and hot iron press carefully.

SCARF (see Fig. C).

MATERIALS:—7 ozs. BEEHIVE, or CYCLE, Double Knitting (or PATONS SUPER WHEELING, 3-ply). Two No. 5 "BEEHIVE" Knitting

Needles (or "INOX," if Metal preferred), measured by the Beehive gauge.
ACTUAL MEASUREMENTS:—Width, 8 ins. Length, 54 ins.
TENSION:—6½ stitches to the inch in width (not stretched) must be obtained to give a garment of the above-mentioned size. If, using the needles recommended, more than 6½ stitches to the inch are obtained, needles a size coarser should be tried; if less than 6½ stitches, then a size finer. **Whatever the size of needles found suitable by the Knitter, it is absolutely essential that the fabric should measure 6½ stitches to the inch.**



A piece of fabric knitted to the correct tension.

RECIPE:—Cast on 56 stitches.
1st row.—K. 2, * P. 1, K. 1, repeat from * to end of row. Repeat this row for 54 inches. Cast off. With a damp cloth and hot iron press carefully.
THE FRINGE.—Wind the wool round a piece of cardboard 4 inches wide and cut through one edge. Taking 4 strands together, double them and using a crochet hook, draw a loop through the end of the scarf, pass the ends through the loop and knot firmly. Repeat in every fourth stitch along the ends of the scarf.

HELMET (see Fig. D).

MATERIALS:—3 ozs. BEEHIVE, or CYCLE, Double Knitting (or PATONS SUPER WHEELING, 3-ply). Two No. 5 "BEEHIVE" Knitting Needles (or "INOX," if Metal preferred), measured by the Beehive gauge. A Beehive Stitch-holder.
TENSION:—4½ stitches to the inch in width (not stretched) must be obtained. If, using the needles recommended, more than 4½ stitches to the inch are obtained, needles a size coarser should be tried; if less than 4½ stitches, then a size finer. **Whatever the size of needles found suitable by the Knitter, it is absolutely essential that the fabric should measure 4½ stitches to the inch.**



A piece of fabric knitted to the correct tension.

RECIPE:—Cast on 96 stitches.
1st row.—K. 1, * K. 2, P. 2, repeat from * to the last 3 stitches, K. 3.
2nd row.—K. 1, * P. 2, K. 2, repeat from * to the last 3 stitches, P. 2, K. 1.
Repeat these two rows thirteen times.
29th row.—K. 36, cast off 24 stitches in pattern, K. 36. Work 23 rows in plain knitting on first 36 stitches. Break off the wool and leave these stitches on a stitch-holder. Join in the wool at the inside edge of the stitches which were left and work 23 rows in plain knitting on these 36 stitches. In the next row K. 36, cast on 24 stitches and, working across the stitches which were left on the stitch-holder, K. 36.
Work 15 rows in plain knitting on these 96 stitches. Shape for the crown as follows:—
1st row.—* K. 14, K. 2 tog., repeat from * to end of row. **2nd and alternate rows.**—Knit plain.
3rd row.—* K. 13, K. 2 tog., repeat from * to the end of the row.
5th row.—* K. 12, K. 2 tog., repeat from * to the end of the row.
Continue decreasing in this manner until 24 stitches remain.
Break off the wool, run the end through the remaining stitches, draw up and fasten off securely.
THE NEB.—Cast on 24 stitches.
1st row.—K. 1, K. 2 tog., knit plain to the last 3 stitches, K. 2 tog., K. 1.
2nd row.—Knit plain.
Repeat the 1st and 2nd rows until 12 stitches remain. Cast off.
Work another piece in the same manner.
TO MAKE UP THE HELMET.—With a damp cloth and hot iron press carefully. Sew up the seams. Sew together the two pieces of the neb, leaving the cast-on edges open. Turn inside out and sew together the two straight sides, then sew the straight side to the top of the front opening.

LATEST ADDITIONS TO P & B HELPS TO KNITTERS SERIES

Price 2d.

Price 2d.

Price 2d.

Price 2d.

Price 6d.

Price 3d.

P&B HELPS TO KNITTERS

are known the World over for style and accuracy. Of "WOOLCRAFT," the most famous among them, more copies have been sold than of any other Guide to Knitting and Crochet, and no household library is complete without it.

"WOOLCRAFT," NEW EDITION—PRICE 6d.!

The above prices only apply in Great Britain and Northern Ireland.

PUBLISHED, WITH ALL RIGHTS RESERVED, BY

PATONS & BALDWINS, LTD., ALLOA & HALIFAX

Made and Printed in Great Britain.

28921

00536796